



45RC TRACTOR

45RC TRACTOR

Stock Codes	39.R51226
Model	45RC
Full Description	KN, 45RCN Kubota WG972 EFI

Engine

Engine Manufacturer	Kubota
Horsepower	32.5
Cylinders	3
Cooling	Liquid
Fuel Capacity	6 gal (22.7 L)
Fuel Type	Gasoline

Drive System

Max Ground Speed	10 mph
Operation	Operator-On and Remote

Tires

Tires or Tracks	Dual Wheels
Tires	MTN PRO 22x11x8 in

Dimensions

Overall Length	81.5 inches (207 cm)
Overall Width	48.5 inches (123 cm)
Width with Dual Wheels	73 inches (185.5 cm)
Height (W/O Prox Antenna)	72 inches (183 cm)
Height (With Prox Antenna)	79 inches (201 cm)
Weight	2160 lbs (980 kg)
Weight with Dual Wheels	2360 lbs (1070 kg)

Remote Operations

Camera	Live Feed in RC Mode
Remote Distance	500 ft
Radio Frequency	2.4 GHz

Range of Operation

Radio	500 ft
Video	250 ft
Proximity Sensing	100 ft

All specifications subject to change without notice or obligation



The advanced 45RC platform is dual-operated, featuring both operator-on and remote control functionality, with precise electro-hydraulic controls. Built to excel in demanding work environments, the 45RC comes equipped with an industrial-grade remote and ergonomic joystick, making it the ideal choice for tasks that require durability.


Dual-operation modes in a remote control tractor like the Ventrac 45RC provide superior utility compared to a single dedicated remote unit. With the option to switch seamlessly between operator-on driving and remote control, operators can choose the best approach for various tasks, ensuring greater precision in tight, difficult, or hazardous areas. This flexibility allows for efficient handling of complex jobs that require human oversight or remote operation, optimizing both productivity and safety. Additionally, dual-operation allows the machine to be fully utilized in diverse settings, offering a broader range of applications than a dedicated remote-only system.

The new ergonomic joystick replaces the mechanical drive-link and adds new functionality and features while increasing operator comfort. Because this tractor features electric-over-hydraulic technology this has allowed for exciting new features. V-Trim is a selectable drive control that allows the operator to independently control the RPM of the engine and the full potential drive speed of the traction unit. The brand-new digital display shows real-time operational data, including a slope gauge.

Built on the same robust chassis as the trusted Ventrac 4520 tractor and retaining all its core benefits - what you've come to expect from a Ventrac will remain the same. This tractor is powerful, yet agile, designed for tough jobs while delivering the same reliability Ventrac is known for. Whether you're tackling steep slopes or precision tasks, the 45RC is engineered to handle it all.








APPROVED ATTACHMENTS FOR USE WITH 45RC

Stock Code	Description		Stock Code	Description	
39.55110	MS, MS600 Mower SD w/ Mulch Kit		39.55118	HQ, HQ682 Mower, Tough Cut	
39.55111	MS, MS720 Mower SD w/ Mulch Kit		39.55155	MK, MK960 Wide Area Mower	
39.55114	MU, MU720 Mower RD		39.55214	HE, HE482 Power Bucket	
39.55251	KD, KD482 Dozer Blade		39.55252	KD, KD602 Dozer Blade	
39.55253	KD, KD722 Dozer Blade		39.55401	KJ, KJ520 Broom	
39.55431	KR, KR502 Landscape Rake		39.55436	KG, KG540 Power Rake	
39.55460	EA, EA600 AERA-VATOR		39.55490	EB, EB480 Aerator-Open Spoon Tine	
39.55492	EB, EB480 Aerator-Slitter/Slicer Tine		39.55494	EB, EB480 Aerator-Core Tine	
39.55160	MJ, MJ840 Contour		39.55119	MZ, MZ480 Brush Cutter	
39.55146	MW, MW562 Flail Mower-Fine Cut		39.55147	MW, MW722 Flail Mower-Fine Cut	
39.55148	MY, MY562 Flail Mower-Fast Cut		39.55149	MY, MY722 Flail Mower-Fine Cut	
39.55205	EF, EF300 Leaf Plow		39.55271	KV, KV552 V-Blade	
39.55275	SE, SE530 V-Blade		39.55278	SP, SP720 Box Snow Plow	

The following is the current list of approved attachments for the Ventrac 45RC tractor as of March, 2025. This list is subject to updates as additional attachments are approved. Please check back for future additions.

APPROVED ATTACHMENTS FOR USE WITH 45RC, cont.

Stock Code	Description		Stock Code	Description	
39.55220	KL, KL480 Tiller		39.55226	DC, DC520 Soil Cultivator	
39.55455	KY, KY400 Trencher		39.55211	HE, HE200 Power Grapple	
39.55131	MR, MR770 Reel Mower		39.55332	ED, ED202 Edger with optional blower	
39.55340	ET, ET202 Turbine Blower		39.55485	EW, EW530 Weedbine	
39.55440	KA, KA160 Power Blower		39.55170	MA, MA900 Boom Mower	
39.55227	EG, EG520 Seeder, Cultipacker		39.55500	ES, ES220 Spreader Spyker	
39.55520	EC, EC240 Sod Cutter		39.55301	KC, KC220 Stump Grinder	
70.2017	SA, SA252 Drop Spreader		39.55280	DG, DG550 Renovator	

The following is the current list of approved attachments for the Ventrac 45RC tractor as of March, 2025. This list is subject to updates as additional attachments are approved. Please check back for future additions.

